

## STIC Biotechnology Systems Branch

1/FW16

### CRF Problem Report

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) experienced a problem when processing the following computer readable form (CRF):

Application Serial Number: 10/802,829  
Filing Date: 8/3/04  
Date Processed by STIC: 3/2/07

STIC Contact: Mark Spencer: Telephone: 571-272-2510; Fax: 571-273-0221

#### Nature of CRF Problem:

- ☒ (circle one) Damaged or Unreadable (for Unreadable, see attached)  
☐ Blank (no files on CRF) (see attached)  
☐ Empty file (filename present, but no bytes in file) (see attached)  
☐ Wrong file saved to CRF (invention title, docket number, or applicant(s) do not match those in official application) (see attached)  
☐ Not saved in ASCII text  
☐ Sequence Listing was embedded in the file. According to Sequence Rules, submitted file should **only** be the Sequence Listing.  
☐ Did not contain a Sequence Listing. (see attached sample)  
☐ Other:

**PLEASE USE THE CHECKER VERSION 4.4.0 PROGRAM TO REDUCE ERRORS.  
SEE BELOW FOR ADDRESS:**

**<http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm>**


1. EFS-Bio (<<http://www.uspto.gov/ebc/efs/downloads/documents.htm>> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 01/14/05):  
U.S. Patent and Trademark Office, Mail Stop Sequence, Customer Window, Randolph Building, 401 Dulany Street, Alexandria, VA 22314

Revised 01/20/06

10/802,829

C:\WINDOWS>a:

General failure reading drive A  
Abort, Retry, Fail?



Onscreen messages  
when STC PC tried  
to read submitted disk

C:\WINDOWS>a:

General failure reading drive A  
Abort, Retry, Fail?

